


# TEST REPORT

 CTK Co., Ltd. <small>The Power Leader of Global Regulatory Certification</small>	<b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501	Report No.: CTK-2023-01914 Page (1) / (28) pages	
--	--	--	--

## 1. Applicant

◦ Name : Hanwha Vision Co., Ltd  
◦ Address : 6 Pangyo-ro 319Beon-gil, Bundang-gu, Seongnam-si,  
Gyeonggi-do, 13488 KOREA  
◦ Date of Receipt : 2023-08-02

## 2. Manufacturer

◦ Name : HANWHA VISION VIETNAM COMPANY LIMITED  
◦ Address : Lot O-2, Que Vo Industrial Zone extended area, Nam Son  
commune, Bac Ninh city, Bac Ninh province, Vietnam

## 3. Use of Report

: Quality control

## 4. Test sample / Model

: Network Camera / PNO-A9311R

## 5. Date(s) of test

: 2023-08-24 to 2023-09-01

## 6. Location of Test :

☒ Permanent Testing Lab ☐ On Site Testing

Address: (5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea)

## 7. Test Standard (Method) used :

NEMA 250-2014

Enclosures for Electrical Equipment (1000 Volts  
Maximum)

## 8. Testing Environment :



Temperature: (25.0 ± 5.0) °C  
Humidity: (40.0 ± 5.0) %.

## 9. Test Results

: Refer to each test items

The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
This Test Report cannot be reproduced, except in full.


The test was conducted as one sample, and the test result does not depend on the number of  
samples






Affirmation	Tested by  HyungUk Jeon	 (Signature)	Technical Manager  SooChan Bae	 (Signature)
-------------	-------------------------------	--	--------------------------------------	--

2023-09-04

CTK Co., Ltd




 <b>CTK Co., Ltd.</b> <small>The Power Leader of Global Regulatory Certification</small>	<b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501	Report No.: <b>CTK-2023-01914</b> Page (2) / (28) pages	
---	--	---	--

<b>Test item description</b> .....:	NETWORK CAMERA
<b>Trade Mark</b> .....:	
<b>Manufacturer</b> .....	Lot O-2, Que Vo Industrial Zone extended area, Nam Son commune, Bac Ninh city, Bac Ninh province, Vietnam
<b>Model/Type reference</b> .....:	PNO-A9311R
<b>Ratings</b> .....:	Electrical DC 12 V  24 W / PoE (53 V  25.5 W) DC 12 V  2.0 A / PoE (53 V  0.49 A)  Dimension: Ø 136.2 mm by 427.67 mm, Ø 73.83 mm by 231.83 mm, Ø 10.4 mm by 32.66 mm, Ø 64.4 mm by 202.22 mm, Ø 5 *3 mm by 47.1 mm, Ø 80 mm by 251.2 mm, Ø 68 mm by 213.52 mm, Ø 160 mm by 48.67 mm Ø 6.5 *3 mm by 214.30 mm, Ø 25 *2 mm by 157.0 mm, Ø 16 mm by 50.24 mm, Ø 5 *4 mm by 62.8 mm, Ø 6.7 *2 mm by 42.08 mm, Ø 8.1 mm by 25.43 mm, Ø 7.88 *4 mm by 98.97 mm

<b>List of Attachments (including a total number of pages in each attachment):</b>
Attachment 1: 11-13 pages (Construction Diagram including installation method)
Attachment 2: 14-18 pages (Parts List)
Attachment 3: 19-28 pages (photographs)

<b>Summary of testing:</b>	
<b>Tests performed (name of test and test clause):</b> Clause 5.7(Hose Down Test)	<b>Testing location:</b> CTK Co., Ltd. 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea

<b>Copy of marking plate: The artwork above may be only a draft.</b>	
<div data-bbox="395 1675 691 1921"> <p>제품명칭: NETWORK CAMERA  모델명: PNO-A9311R  정격전압: DC 12V  24W  PoE (53V  ) 25.5W  M/C: PNO-A9311R/KDO    DATE S/N: XXXXXXXXXXXXXXXX  MAC ADDRESS: XX-XX-XX-XX-XX-XX  인증번호: R-R-SIW-PNOA9311R  상호: 한화비전(주)  제조사/제조국가:한화비전(주)/한국</p> </div>	<div data-bbox="751 1626 1345 1921"> <div>          </div> <p>NETWORK CAMERA,PNO-A9311R  DC 12V  2.0A/  PoE(53V  ) 0.49A  M/C: PNO-A9311R/KEX Fac.ID:D    DATE S/N: XXXXXXXXXXXXXXXX  MAC ADDRESS: XX-XX-XX-XX-XX-XX  CAN ICES-3(A)/NMB-3(A)  HANWHA VISION CO.,LTD.  MADE IN KOREA</p> <p>Rainproof/ Étanche  IP66 and IP67</p> </div>

 <p><b>CTK Co., Ltd.</b> The Prime Leader of Global Regulatory Certification</p>	<p><b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501</p>	<p>Report No.: <b>CTK-2023-01914</b> Page (3) / (28) pages</p>	
---	---	--	--

<b>Test item particulars.....:</b> Network Camera
<b>Classification of installation and use .....</b> Outdoor (Watertight/Corrosion Resistant)
<p><b>Possible test case verdicts:</b></p> <p>- test case does not apply to the test object .....: N/A</p> <p>- test object does meet the requirement.....: P (Pass)</p> <p>- test object does not meet the requirement .....: F (Fail)</p> <p>- test case does not evaluated to the test object : N/E</p>

<p><b>General remarks:</b></p> <p>"(See Enclosure #)" refers to additional information appended to the report.  "(See appended table)" refers to a table appended to the report.</p> <p>Throughout this report a <input type="checkbox"/> comma / <input checked="" type="checkbox"/> point is used as the decimal separator.</p> <p>Clause numbers between brackets refer to clauses in NEMA 250-2014</p>
<p><b>Name and address of factory (ies):</b></p> <p>1. HANWHA VISION VIETNAM COMPANY LIMITED  Lot O-2, Que Vo Industrial Zone extended area, Nam Son commune, Bac Ninh city, Bac Ninh province, Vietnam</p> <p>2. D-TECH CO., LTD.  173-25, Saneop-ro, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea (Suwon Industrial Complex)</p> <p><b>Type 4X</b>      Enclosures constructed for either indoor or outdoor use to provide a degree of protection to personnel against access to hazardous parts; to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt and windblown dust); to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (rain, sleet, snow, splashing water, and hose directed water); that provides an increased level of protection against corrosion; and that will be undamaged by the external formation of ice on the enclosure.</p>

**Table 2-1**  
**Comparison of Specific Applications of Enclosures for Indoor Nonhazardous (Unclassified) Locations**

Provides a Degree of Protection against the Following Conditions	Type of Enclosure									
	1	2	4	4X	5	6	6P	12	12K	13
Access to hazardous parts	X	X	X	X	X	X	X	X	X	X
Ingress of solid foreign objects (falling dirt)	X	X	X	X	X	X	X	X	X	X
Ingress of water (dripping and light splashing)	...	X	X	X	X	X	X	X	X	X
Ingress of solid foreign objects (circulating dust, lint, fibers, and flyings **)	...	...	X	X	...	X	X	X	X	X
Ingress of solid foreign objects (settling airborne dust, lint, fibers, and flyings **)	...	...	X	X	X	X	X	X	X	X
Ingress of water (hosedown and splashing water)	...	...	X	X	...	X	X	...	...	...
Oil and coolant seepage	...	...	...	...	...	...	...	X	X	X
Oil or coolant spraying and splashing	...	...	...	...	...	...	...	...	...	X
Corrosive agents	...	...	...	X	...	...	X	...	...	...
Ingress of water (occasional temporary submersion)	...	...	...	...	...	X	X	...	...	...
Ingress of water (occasional prolonged submersion)	...	...	...	...	...	...	X	...	...	...

\*\* These fibers and flyings are not considered Class III type ignitable fibers or combustible flyings. For Class III type ignitable fibers or flyings see the *National Electrical Code®*, Article 500.5(D).

**Table 2-2**  
**Comparison of Specific Applications of Enclosures for Indoor & Outdoor Nonhazardous (Unclassified) Locations**

Provides a Degree of Protection Against the Following Conditions	Type of Enclosure									
	3	3X	3R	3RX	3S	3SX	4	4X	6	6P
Access to hazardous parts	X	X	X	X	X	X	X	X	X	X
Ingress of solid foreign objects (falling dirt)	X	X	X	X	X	X	X	X	X	X
Ingress of water (dripping and light splashing)	X	X	X	X	X	X	X	X	X	X
Ingress of water (rain, snow, and sleet **)	X	X	X	X	X	X	X	X	X	X
Sleet ***	...	...	...	...	X	X	...	...	...	...
Ingress of solid foreign objects (windblown dust, lint, fibers, and flyings****)	X	X	...	...	X	X	X	X	X	X
Ingress of water (hosedown and splashing water)	...	...	...	...	...	...	X	X	X	X
Corrosive agents	...	X	...	X	...	X	...	X	...	X
Ingress of water (occasional temporary submersion)	...	...	...	...	...	...	...	...	X	X
Ingress of water (occasional prolonged submersion)	...	...	...	...	...	...	...	...	...	X

\*\* External operating mechanisms are not required to be operable when the enclosure is ice covered.

\*\*\* External operating mechanisms are operable when the enclosure is ice covered. See subsection 5.6.

\*\*\*\* These fibers and flyings are not considered Class III type ignitable fibers or combustible flyings. For Class III type ignitable fibers or flyings see the *National Electrical Code®*, Article 500.5(D).



**Table 5-1A**  
**Degrees of Protection Against Access to Hazardous Parts**

Enclosure Type	Test Conditions	Degree of Protection		Corresponding IP First Characteristic Numeral
		Brief Description	Definition	
4X	5.7	Protected against access to hazardous parts with a wire	An access probe of 1.0 mm shall not penetrate	6

**Table 5-1B**  
**Degrees of Protection Against Solid Foreign Objects**


Enclosure Type	Test Conditions	Degree of Protection		Corresponding IP First Characteristic Numeral
		Brief Description	Definition	
4X	<u>Non-vented</u> 5.7	Windblown dust protected	No ingress of dust	6
	<u>Vented</u> 5.5.1 Dust Blast Method			

**Table 5-1C**  
**Degrees of Protection against Water**

Enclosure Type	Test Conditions	Degree of Protection		Corresponding IP Second Characteristic Numeral
		Brief Description	Definition	
4X	5.7	Protected against hose directed water	Water projected against the enclosure in any direction shall not enter	6 No Ingress Allowed*

**Table 5-1D**  
**Additional Protection**

Enclosure Type	Test Conditions	Additional Protection		Corresponding IP Second Characteristic Numeral
		Brief Description	Definition	
4X	5.6 5.9 5.10	Special corrosion protection and undamaged by the external formation of ice	Enclosure provides increased corrosion protection and is not damaged by ice that forms on the outside	None

 <p><b>CTK Co., Ltd.</b> The Prime Leader of Global Regulatory Certification</p>	<p><b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501</p>	<p>Report No.: <b>CTK-2023-01914</b> Page (6) / (28) pages</p>	
---	---	--	--


<b>NEMA 250-2014</b>
----------------------

Clause	Requirement + Test	Result - Remark	Verdict
--------	--------------------	-----------------	---------

<b>3</b>	<b>CONSTRUCTION</b>		
----------	---------------------	--	--

3.1	General		P
3.2	Units of Measurement		P
3.3	Materials-General	Enclosures are made of metal or polymeric materials	P
3.4	Materials-Polymeric	More than 650 mm <sup>2</sup> (1 in <sup>2</sup> ) in area Polymeric Materials used is declared as Min. V-2 Used to UL certified material. (See the attachment 2)	N/E
3.5	Corrosion Protection	Stainless steel and/or aluminium are declared as the materials used (See the attachment 2)	N/E
3.6	Openings	No openings in Product	N/A
3.7	Mounting	Mounting means are external to the equipment cavity (See the attachment 1)	P
3.8	Conduit Connection	No conduit connection (See the attachment 1)	N/A
3.9	Hubs and Fittings	No Hubs and Fittings	N/A
3.10	Knockouts	No Knockouts	N/A
3.11	External Operating Mechanisms	No External Operating Mechanisms	N/A
3.12	Access to Interior	Needs tool to open unit	P
3.13	Closing Hardware	No closing Hardware	N/A
3.14	Gaskets	Gaskets made of a silicone Sponge Rubber (no Elastomeric or Thermoplastic used) (See clause 5.14 and the attachment 2)	P
3.15	Observation Windows	No Observation Window	N/A


<b>4</b>	<b>MARKING</b>		
----------	----------------	--	--

 <b>CTK Co., Ltd.</b> <small>The Power Leader of Global Regulatory Certification</small>	<b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501	Report No.: <b>CTK-2023-01914</b> Page (7) / (28) pages	
---	--	---	--

<b>NEMA 250-2014</b>			
Clause	Requirement + Test	Result - Remark	Verdict
4.1	Type Designations	"Type 4X" Marking is declared to be on the product before on the market	P
4.2	Supplemental Markings	Supplemental Marking (watertight/ corrosion resistant) is declared to be used when it is on the market. The required marking shall be added on the product)	P
4.3	Location of Markings	See the Attachment 3	P
4.4	Enclosure Orientation	No Particular Mounting Orientation	N/A
4.5	Conduit Hubs and Closure Plates	No Conduit Hubs and Closure Plates	N/A
4.6	Equipment Openings	No Openings on Unit	N/A
4.7	Drainage Openings	No Drain Openings	N/A


<b>5</b>	<b>DESIGN TESTS</b>	
----------	---------------------	--

5.1	General	See Table 5-1A to 5-1D and 5.1.5 in the General product information	P
5.2	Tests For Protection Against Access to Hazardous Parts	Rated 4X	N/A
5.3	Tests for Protection Against Ingress of Water (Dripping and Light Splashing)	Rated 4X	N/A
5.4	Tests for Protection Against Ingress of Water (Rain)	Rated 4X	N/A
5.5	Tests for Protection Against Ingress of Solid Foreign Objects (Setting Airborne Dust, Lint, Fibers, And Flings)	Non-vented (See clause 5.7)	N/A
5.6	External Icing Test	No external cavities to trap water when mounted in the normal position.	N/A
5.7	Tests for Protection Against Ingress of Water (Hosedown)	No entry of water See the test information	P
5.8	Indoor Corrosion Protection (Rust-Resistance Test (24-Hour Salt Spray Test))	See clause 3.5	N/E
5.9	Outdoor Corrosion Protection	See clause 3.5	N/E
5.10	Corrosion Protection-Type 3X, 3RX, 3SX, 4X Or 6P Enclosures	See clause 3.5	N/E

 <p><b>CTK Co., Ltd.</b> The Prime Leader of Global Regulatory Certification</p>	<p><b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501</p>	<p>Report No.: <b>CTK-2023-01914</b> Page (8) / (28) pages</p>	
---	---	--	--

NEMA 250-2014			
Clause	Requirement + Test	Result - Remark	Verdict
5.11	Test for Protection Against Ingress of Water (Temporary Submersion)	Rated 4X	N/A
5.12	Test for Protection Against Ingress of Water (Prolonged Submersion)	Rated 4X	N/A
5.13	Oil Exclusion Test	Rated 4X	N/A
5.14	GASKET MATERIAL TESTS	The product itself(including gaskets) was conditioned at 70 °C for 168 hrs according to 5.14.3(Alternate Evaluation) before performing relevant required tests.	P
5.15	Test for Sharpness of Edges	No sharp edges	P




 <b>CTK Co., Ltd.</b> <small>The Prime Leader of Global Regulatory Certification</small>	<b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501	Report No.: <b>CTK-2023-01914</b> Page (9) / (28) pages	
---	--	---	--

NEMA 250-2014			
Clause	Requirement + Test	Result - Remark	Verdict

## **Test Information**

	<b>Hose Down Test: Clause 5.7</b>	<b>P</b>
--	-----------------------------------	----------

<b><u>Description of Test</u></b> <p>The enclosure and its external mechanisms were subjected to a stream of water from a hose that has a 25.4 mm (1 in) inside diameter nozzle and delivers at least 240 L (65 gal) per minute.</p> <p>The nozzle was held from 3.0 to 3.5 m (10 to 12 feet) from the enclosure, and the spray of water was directed at all points of potential water entry such as seams, joints, external operating mechanisms, and such. The nozzle was moved along each test point one time at a uniform rate of 6 mm/sec(1/4 in/sec).</p> <p>Sample Dimension  Ø 136.2 mm by 427.67 mm, Ø 73.83 mm by 231.83 mm,  Ø 10.4 mm by 32.66 mm, Ø 64.4 mm by 202.22 mm,  Ø 5 *3 mm by 47.1 mm, Ø 80 mm by 251.2 mm,  Ø 68 mm by 213.52 mm, Ø 160 mm by 48.67 mm  Ø 6.5 *3 mm by 214.30 mm, Ø 25 *2 mm by 157.0 mm,  Ø 16 mm by 50.24 mm, Ø 5 *4 mm by 62.8 mm,  Ø 6.7 *2 mm by 42.08 mm, Ø 8.1 mm by 25.43 mm,  Ø 7.88 *4 mm by 98.97 mm  Test Duration = 350.95 secs</p> <p><b><u>Acceptance conditions:</u></b>  The enclosure shall be considered to have met the requirements if at the conclusion of the test no water has entered the enclosure</p> <p><b><u>Test Results</u></b></p> <table border="1"> <thead> <tr> <th>Sample No (Model)</th><th>Water Flow</th><th>Presence of water inside</th><th>Result</th></tr> </thead> <tbody> <tr> <td>PNO-A9311R</td><td>240 LPM</td><td>No</td><td>Pass</td></tr> </tbody> </table>				Sample No (Model)	Water Flow	Presence of water inside	Result	PNO-A9311R	240 LPM	No	Pass
Sample No (Model)	Water Flow	Presence of water inside	Result								
PNO-A9311R	240 LPM	No	Pass								




 <b>CTK Co., Ltd.</b> <small>The Prime Leader of Global Regulatory Certification</small>	<b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501	Report No.: <b>CTK-2023-01914</b> Page (10) / (28) pages	
---	--	--	--

# **Attachment 1 – Construction Diagram and installation method**


## **List of test equipment used:**

Instr. Code	Instrument Type	Range Used	Mfr./Model	Calibration Date	
				Last	Due
S3-IP18	25.4mm Nozzle	25.4 mm	CTK/S3-IP18	-	Checked by calliper below before using
S1-SW2	Stop Watch	0.01 s	CASIO/ NONE	2022.02.22	2024.02.21
C-S1-D09	Steel Measuring Tape	5 m	KOMELON/KMC-74N	2023.02.17	2024-11.14
S3-IP23	Water flow meter	250LPM	Nuri tech/ Z-6504	2024.01.19	2024.02.12
C-S1-D02	DIGITAL VERNIER CALIPER	150 mm	MITUTOYO/150 mm	2023.07.31	2024.07.31


**Attachment 1 – Construction Diagram and installation method**




**Attachment 1 – Construction Diagram and installation method**



**Attachment 1 – Construction Diagram and installation method**



 <p><b>CTK Co., Ltd.</b> The Prime Leader of Global Regulatory Certification</p>	<p><b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501</p>	<p>Report No.: CTK-2023-01914 Page (14) / (28) pages</p>	
---	---	--	--

## Attachment 2 – Parts List

No.	품명	재질			최소살두께(mm)
		대분류	소분류	메이커(모델명)	
1	COVER-FRONT-PNO-A9311R	AL			
2	WINDOW-OUTER-PNO-A9311R	Plastic	PC	LOTTE (QC-1220UR), F1	2.0
3	WINDOW-INNER-PNO-A9311R	Glass			
12	SHIELD-SUN-PNO-A9311R;PC,MD	Plastic	PC	LOTTE (HN-1068), F1	2.5
13	COVER-BODY-PNO-A9311R	AL			
17	BRACKET-BALL-PNO-A9311R	AL			
19	CASE-TOP BRACKET_XNO-C9083R;ADC12,WHITE	AL			
20	CASE-BOTTOM BRACKET_XNO-C9083R;ADC12,WHI	AL			
23	DOOR-BACKBOX-XNO9083R;ADC12	AL			
27	CASE-TOP-BB-PNO-A9311R	AL			
35	CASE-BOTTOM-BBOX-XNO9083R;ADC12	AL			
37	COVER-BOT-XNV-6081Z;PC	Plastic	PC	LOTTE (HN-1068), F1	1.8
39	BRACKET-MOUNT-XNO9083R;ADC12	AL			

No.	품명	모델명	제조사
6	PAD-THERMAL-12X7X1T	GP-1 (350)	KOMOTECH
30	PAD-THERMAL-20X50XT4-7W	KGP-1 7035(V)	KOMOTECH





## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01914  
Page (15) / (28) pages

### Attachment 2 – Parts List



## Component - Plastics

File Number: E115797

### LOTTE CHEMICAL CORPORATION

56 GOSAN-RO  
UIWANG-SI, GYEONGGI-DO 16073 Republic of Korea




INFINO: HN-1068(+)(f1)

Polycarbonate (PC), pellets

(+) - May be replaced by one, two, or three numbers and/or letter(s)

(f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 746C.

Flammability	Value	Test Method
Flame Rating		UL 94
1.5 mm, ALL	V-0	
3.0 mm, ALL	V-0	
Flammability Classification		IEC 60695-11-10, -20
1.5 mm, ALL	V-0	
3.0 mm, ALL	V-0	
Glow Wire Flammability Index		IEC 60695-2-12
1.5 mm	960 °C	
3.0 mm	960 °C	
Glow Wire Ignition Temperature		IEC 60695-2-13
1.5 mm	825 °C	
3.0 mm	825 °C	
Electrical	Value	Test Method
Hot-wire Ignition (HWI) (1.5 mm)	PLC 3	UL 746A
High Amp Arc Ignition (HAI) (1.5 mm)	PLC 3	UL 746A
Comparative Tracking Index (CTI)	PLC 3	UL 746A
Dielectric Strength	32 kV/mm	ASTM D149
Volume Resistivity	1.0E+17 ohms·cm	ASTM D257
Volume Resistivity	1.0E+17 ohms·cm	IEC 60093
Thermal	Value	Test Method
RTI Elec		UL 746B
1.5 mm	130 °C	
3.0 mm	130 °C	
RTI Imp		UL 746B
1.5 mm	130 °C	
3.0 mm	130 °C	
RTI Str		UL 746B
1.5 mm	130 °C	
3.0 mm	130 °C	
Ball Pressure Test (130°C)	Pass	IEC 60695-10-2
Physical	Value	Test Method
Outdoor Suitability	f1	UL 746C

 <p><b>CTK Co., Ltd.</b> The Prime Leader of Global Regulatory Certification</p>	<p><b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501</p>	<p>Report No.: CTK-2023-01914 Page (16) / (28) pages</p>	
---	---	--	--

## Attachment 2 – Parts List

Component - Plastics  
File Number: E115797



### Notice of Disclaimer

By accessing this Yellow Card data information sheet and the database from which this information was generated (the "Yellow Card"), the user acknowledges and accepts the terms and conditions upon which this Yellow Card is made available. This Yellow Card, the database from which it was generated, and all related materials, support, and services, are made available by UL for use only by permission and "as is", without any representation or warranty of any kind, express or implied, including but not limited to any implied warranties of merchantability, fitness for a particular purpose or that the products identified in this Yellow Card will satisfy the user's requirements. UL cannot and does not warrant that the data contained in this Yellow Card is current, accurate, or complete. The user must independently confirm the conformance of any product to the applicable standards or requirements with the manufacturer of that product. Permission to access this Yellow Card may be withdrawn at any time by UL in its sole discretion. The identification of products and companies on this Yellow Card does not in any way imply endorsement of those products or companies by UL. UL does not assume and expressly disclaims, liability to any person for any loss or damage (including lost profits, lost savings, or any indirect, special, incidental, consequential or punitive damages whether or not UL has been advised of the possibility of such damages) arising out of, or in connection with, the use of this Yellow Card regardless of the cause or causes of such loss or damage.



## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01914  
Page (17) / (28) pages

### Attachment 2 – Parts List



## Component - Plastics

File Number: E115797

### LOTTE CHEMICAL CORPORATION

56 GOSAN-RO  
UIWANG-SI, GYEONGGI-DO 16073 Republic of Korea



### INFINO: QC-122(+)(f1)

Polycarbonate (PC), pellets

(+) - May be replaced by one, two, or three numbers and/or letter(s)

(f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 746C.

Flammability	Value	Test Method
Flame Rating		UL 94
1.0 mm, ALL	V-2	
1.6 mm, ALL	V-2	
3.2 mm, ALL	V-2	
Flammability Classification		IEC 60695-11-10, -20
1.0 mm, ALL	V-2	
1.6 mm, ALL	V-2	
3.2 mm, ALL	V-2	
Glow Wire Flammability Index		IEC 60695-2-12
1.0 mm	850 °C	
1.6 mm	850 °C	
3.2 mm	850 °C	
Glow Wire Ignition Temperature		IEC 60695-2-13
1.0 mm	875 °C	
1.6 mm	900 °C	
3.2 mm	875 °C	
Electrical	Value	Test Method
Hot-wire Ignition (HWI)		UL 746A
1.0 mm	PLC 0	
1.6 mm	PLC 3	
3.2 mm	PLC 2	
High Amp Arc Ignition (HAI)		UL 746A
1.0 mm	PLC 0	
1.6 mm	PLC 0	
3.2 mm	PLC 0	
Comparative Tracking Index (CTI)	PLC 0	UL 746A
High Voltage Arc Tracking Rate (HVTR)	PLC 2	UL 746A
Volume Resistivity	1.0E+16 ohms-cm	ASTM D257
Volume Resistivity	1.0E+16 ohms-cm	IEC 60093
Arc Resistance	PLC 5	ASTM D495
Thermal	Value	Test Method
RTI Elec		UL 746B
1.0 mm	80.0 °C	
1.6 mm	130 °C	
3.2 mm	130 °C	



## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01914  
Page (18) / (28) pages

### Attachment 2 – Parts List

#### Component - Plastics File Number: E115797



Thermal	Value	Test Method
RTI Imp		UL 746B
1.0 mm	80.0 °C	
1.6 mm	125 °C	
3.2 mm	130 °C	
RTI Str		UL 746B
1.0 mm	80.0 °C	
1.6 mm	125 °C	
3.2 mm	130 °C	
Physical	Value	Test Method
Outdoor Suitability	f1	UL 746C

#### Notice of Disclaimer

By accessing this Yellow Card data information sheet and the database from which this information was generated (the "Yellow Card"), the user acknowledges and accepts the terms and conditions upon which this Yellow Card is made available. This Yellow Card, the database from which it was generated, and all related materials, support, and services, are made available by UL for use only by permission and "as is", without any representation or warranty of any kind, express or implied, including but not limited to any implied warranties of merchantability, fitness for a particular purpose or that the products identified in this Yellow Card will satisfy the user's requirements. UL cannot and does not warrant that the data contained in this Yellow Card is current, accurate, or complete. The user must independently confirm the conformance of any product to the applicable standards or requirements with the manufacturer of that product. Permission to access this Yellow Card may be withdrawn at any time by UL in its sole discretion. The identification of products and companies on this Yellow Card does not in any way imply endorsement of those products or companies by UL. UL does not assume and expressly disclaims, liability to any person for any loss or damage (including lost profits, lost savings, or any indirect, special, incidental, consequential or punitive damages whether or not UL has been advised of the possibility of such damages) arising out of, or in connection with, the use of this Yellow Card regardless of the cause or causes of such loss or damage.



## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01914  
Page (19) / (28) pages

### Attachment 3 – Photographs

#### Test Unit







## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01914  
Page (20) / (28) pages

### Attachment 3 – Photographs

#### Hose down test






### Attachment 3 – Photographs



#### Test Result



**Attachment 3 – Photographs**




**Attachment 3 – Photographs**





**Attachment 3 – Photographs**






## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01914  
Page (25) / (28) pages

### Attachment 3 – Photographs







## CTK Co., Ltd.

5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si,  
Gyeonggi-do, Republic of Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501



Report No.:  
CTK-2023-01914  
Page (26) / (28) pages


### Attachment 3 – Photographs





**Attachment 3 – Photographs**



 <p><b>CTK Co., Ltd.</b> The Pioneer Leader of Global Regulatory Certification</p>	<p><b>CTK Co., Ltd.</b> 5 Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Republic of Korea Tel: +82-31-339-9970 Fax: +82-31-624-9501</p>	<p>Report No.: CTK-2023-01914 Page (28) / (28) pages</p>	
---	---	--	--

### Attachment 3 – Photographs



-END-